



# CAMBRIDGE™

*Urban Traditional*

 **GARAGA®**  
Garage Doors



▲ *Cambridge*, Stretched model (CL), 16' x 7', Claystone, Claystone overlays, clear glass windows.

▼ *Cambridge*, Condensed model (CS), 8' x 7', Ice White, Ice White overlays, clear glass windows.



◀ Cover: *Cambridge*, Traditional model (CM), 9' x 7', Ice White, Ice White overlays, 4 lite windows.

# *Classic style, the obvious choice*

The new Cambridge garage door blends urban trends with the richness of vintage flair. Its charm lies in being true to authentic architectural elements, showcasing raised overlays in a wood grain finish paired with high-precision manufacturing for a flawless appearance.

Cambridge, Urban Traditional.



▼ *Cambridge*, Traditional model (CM), 9' x 7', Desert Sand, Desert Sand overlays.





▲ *Cambridge*, Stretched model (CL), 14' x 7', Claystone, Claystone overlays, clear glass windows.


## *A choice you'll never regret!*

Garaga garage doors have set the standard for quality. Our manufacturing process is second to none in the industry. Polyurethane foam is pressure-injected between steel walls. This creates a lightweight composite material that provides remarkable insulation, rigidity and durability. When combined with professional installation by a Garaga specialist, our doors provide the most thermally efficient system you can get.

▼ *Cambridge*, Traditional model (CM), 9' x 7', Desert Sand, Desert Sand overlays, 4 lite windows.



# CAMBRIDGE™



## R-16 insulated steel doors

The Cambridge is a 1 3/4" thick insulated steel door (in addition to 5/8" mouldings) with a thermal insulation factor of **R-16**. A wide range of dimensions are available.

The Cambridge door is covered by a **lifetime warranty** (limited).

## LaserCraft™ Technology

Our unique LaserCraft high precision manufacturing process uses cutting edge digital technology to ensure the production of precisely aligned overlays.

## Permafix™ Fusion Process

Our Permafix process literally fuses the trim pieces with the steel panels and ensures their optimum adhesion to the doors.



## *CarGO™ Door Openers: Smooth, Quiet and Reliable*

The Garaga satisfaction promise – available in door automation systems with the *CarGO™* series. European-engineered and built to surpass the highest garage door system standards in the industry, the soft start/soft stop *CarGO™* system guarantees years of smooth and trouble-free operation.

*CarGO* 700<sup>e</sup>



*CarGO* 500<sup>e</sup>




# Features & Benefits

## CAMBRIDGE™

### ThermaBlok™ Frame Weatherstripping:

Double lip PVC Frame ThermaBlok™ weatherstripping with exterior screw cover.



### Metal plate inside the panel:

14-gauge steel reinforcement plate for hinges, handle and electric door opener attachment.



### White Nylon Rollers:

White nylon rollers with 11-ball bearings.

### InterLok™:

Solid Mechanical Interlocking joint with triple contact InterLok™ weatherstripping.

### Bottom Seal Weatherstripping:

Flexible U weatherstripping.

## Features

## Benefits

Components of a system that is 100% Garaga

### Panels

- 1 26-gauge commercial spec galvanized steel
- 2 Pressure-Injected polyurethane foam (R-16; thickness: 1 3/4")
- 3 Wood End block (Kiln-dried pine)
- 4 LaserCraft™ Technology
- 5 Permafix™ Fusion Process



### Hardware

- 6 14-gauge galvanized steel tracks, bearing the Garaga seal
- 7 Reinforced Horizontal Track (on double door only)
- 8 Welded anchoring plates

### Accessories

- 9 Decorative windows are thermopane
- 10 CarGO 500e or CarGO 700e; smooth, quiet & reliable garage door openers

## THE BEAUTY OF QUALITY



Garaga door systems help you save energy and money because the numerous thermal breaks keep the heat in and the cold out.



Garaga's outstanding energy conservation leaves the others out in the cold.



Heavy-duty corrosion-resistant steel or aluminum doors and Dura+™ hardware makes it the longest-lasting garage door system on the market.



Built to withstand extreme Canadian weather and rough handling; this is the world's most rugged garage door system.



Garaga door systems have the lowest average air infiltration ratings in the industry.




Garaga door systems are versatile for your renovation projects and special dimensions.

[www.thebeautyofquality.com](http://www.thebeautyofquality.com)


# Specifications

## Models


### Stretched (CL)




8' to 10'



11' to 14'




15' to 18'  
Height: 7'




15' to 18'  
Height: 8'


### Traditional (CM)



8' to 11'



12' to 15'




16' to 18'


#### IMPORTANT

Due to the architecture of the Cambridge, the height of squares in each panel is not identical.


### Condensed (CS)



8' - 9'



10' to 13'



14' to 18'

## Available size

<b>Widths:</b>	8' to 18' (in 1" increments)
<b>Heights:</b>	4 sections; 6' 6" to 8' (in 3" increments) *

\* Height over 8' available on certain models. Ask for factory drawing for more details.

## Panoramic decorative windows

Note that square widths vary depending on the design and size of the chosen door.

### Available for Stretched (CL) models



Clear



8 lite

**Color of grids:** White, Claystone, Desert Sand.

### Available for Traditional (CM) and Condensed (CS) models



Clear



4 lite

**Color of grids:** White, Claystone, Desert Sand.

## Available Panel Colors



Ice White

Desert Sand

Claystone

Moka Brown

Dark Sand

## Available Overlay Colors



Ice White

Desert Sand

Claystone

Warning: The colors shown on this page are as exact as printing techniques will allow. Please request an actual color sample.

## Warranty

<b>Door sections:</b>	Limited Lifetime
<b>Windows:</b>	10 years
<b>Decorative PVC mouldings:</b>	Cracking or peeling of the paint: 10 years Delamination: 5 years
<b>Dura+ hardware:</b>	2 years
<b>Weatherstripping:</b>	1 year
<b>CarGo 700e:</b>	Limited Lifetime
<b>CarGo 500e:</b>	15 years

# CAMBRIDGE™ Models



▲ Traditional (CM)

▲ Stretched (CL)

▲ Condensed (CS)



A choice you'll never regret!

## Garaga Inc.

8500, 25<sup>th</sup> Avenue, St-Georges, QC G6A 1K5 Canada

Tel.: **418 227-9458**

E-mail: [info@garaga.com](mailto:info@garaga.com)

[www.garaga.com](http://www.garaga.com)



FSC logo

**Your Garaga Distributor:**

For the most recent version of this brochure visit our website.

GARAGA has established continuous improvement programs for all its products. As a result of this ongoing quest, technical specifications for various doors are subject to change without notice.

Trademarks and registered trademarks of Garaga Inc. are denoted by™ and ® respectively.

© Garaga inc. 2010 – All rights reserved

Printed in Canada